

**GOVERNMENT OF ANDHRA PRADESH**  
**A B S T R A C T**

Public Services -Disciplinary action instituted against Sri S.Srinivas, the then Assistant Engineer (PH), Mancherial Municipality Adilabad District and certain other officials of Hyderabad Metropolitan Water Supply & Sewerage Board (HMWS&SB) & Public Health on the irregularities on fake indenting of HMWSSB materials - Enquiry conducted - Penalty of Stoppage of two Annual Grade increments without cumulative effect - Orders - Issued.

---

**MUNICIPAL ADMINISTRATION AND URBAN DEVELOPMENT (E1) DEPARTMENT**

G.O.Rt.No. 239

Dated:13.2.2014.

Read the following:

1. From G.A.(V&E) Department, V.R.No. 91 (C.No.702/V&E-D1/2006, dt.30.06.2007.
2. G.O.Rt.No.1265, MA&UD (E1) Department, dated 05.09.2008.
3. G.O.Rt.No.485, MA&ID (E1) Department dated 29.04.2010.
4. From Sri K.Suresh Kumar, Chief Engineer, P.H., & Enquiry Officer, enquiry report in Letter No.CD/GHMC/TA-I/K3/2012-13,dt 27-12-2012.
5. Govt.Memo.No.24081/E1/2006, MA&UD(E1)Dept dt.17.5.2013
6. Explanation dt.28.6.2013 Sri S.Srinivas, the then Assistant Engineer (PH), Mancherial Municipality, Adilabad District

\*\*\*\*

**ORDER:-**

In the reference 1<sup>st</sup> read above, the General Administration (Vigilance & Enforcement) Department have enquired on the irregularities on fake indenting of Hyderabad Metropolitan Water Supply & Sewerage Board materials and submitted a report to the Government. Based on the Vigilance & Enforcement report disciplinary proceedings have been instituted against certain officials of Hyderabad Metropolitan Water Supply & Sewerage Board (HMWS&SB) & Public Health. Accordingly, articles of charge have been issued against Sri S.Srinivas, the then Assistant Engineer (PH), Mancherial Municipality, vide G.O. 2<sup>nd</sup> read above.

2. Government after examining the statement of defenses submitted by the charged officers and having not satisfied with the explanations, Sri K.Suresh Kumar, Chief Engineer, Public Health has been appointed as Inquiring Authority vide G.O. 3<sup>rd</sup> read above. The Inquiring Authority, has submitted enquiry report in the reference 4<sup>th</sup> read above.

3. Government after examination of the Inquiry Authority report and the same was communicated to Sri S.Srinivas, the then Assistant Engineer (PH), Mancherial Municipality, vide reference 5<sup>th</sup> read above and he has submitted his representation to Government vide reference 6<sup>th</sup> read above.

4. Government after careful examination of the matter in-consultation with the advisory body, hereby impose a penalty of stoppage of two annual grade increments without cumulative effect against Sri S.Srinivas, the then Assistant Engineer (PH), Mancherial Municipality, Adilabad District, under A.P. Civil Services (CC&A) Rules, 1991.

Contd....2.

5. The Engineer-in-Chief (PH), Hyderabad shall take necessary action accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

Dr.S.K.JOSHI  
PRINCIPAL SECRETARY TO GOVERNMENT

To

Sri S.Srinivas, the then Assistant Engineer (PH), Mancherial Municipality, Adilabad District through the ENC (PH), A.P., Hyderabad.

Copy to :

The Engineer-in-Chief (PH), A.P., Hyderabad.

The Managing Director,

Hyderabad Metropolitan Water Supply & Sewerage Board, Hyderabad.

The Secretary Vigilance Commissioner, A.P.V.C, Hyderabad.

The General Administration (V&E) Department.

(W.r.t V.R.No.91 (C.No.702/V&E-D1/2006, dt.30.06.2007).

SF/SC.

//FORWARDED::BY ORDER//

SECTION OFFICER